

MOSER, PATTERSON & SHERIDAN, L.L.P.

Attorneys at Law
 3040 Post Oak Boulevard, Suite 1500
 Houston, Texas 77056-6582
 Telephone (713) 623-4844
 Facsimile (713) 623-4846
www.mpsllp.com

FACSIMILE COVER SHEET

DATE:	July 25, 2002	FILE NO:	APPM/2981/CPES/EPS/BG
TO:	Examiner R. Bueker		FAX NO: 703-872-9066
COMPANY: United States Patent and Trademark Office			
FROM:	William B. Patterson	PAGE(S):	3 with cover
MESSAGE:	Original to Follow <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO		

SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT

File No.: APPM/2981/CPES/EPS/BG
Serial No.: 09/220,153
Conf. No.: 3858
Filed: December 23, 1998
Examiner: R. Bueker

Attached is a Supplemental Information Disclosure Statement dated July 25, 2002. If you have any questions, please call me at (713) 623-4844.

CONFIDENTIALITY NOTE

The document accompanying this facsimile transmission contains information from the law firm of Moser, Patterson & Sheridan, L.L.P. which is confidential or privileged. The information is intended to be for the use of the individual or entity named on this transmission sheet. If you are not the intended recipient, be aware that any disclosure, copying, distribution or use of the contents of this faxed information is prohibited. If you have received this facsimile in error, please notify us by telephone immediately so that we can arrange for the retrieval of the original documents at no cost to you.

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

**In re Application of:
Reimer, et al.**

Serial No.: 09/220,153

Confirmation No.: 3858

Filed: December 23, 1998

**For: Processing Apparatus
Having Integrated Pumping
System**

Group Art Unit: 1763
Examiner: R. Bueker

**Assistant Commissioner for Patents
Washington, D.C. 20231**

Dear Sir:

**CERTIFICATE OF FACSIMILE
TRANSMISSION UNDER 37 CFR 1.8**

SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT

The Applicants, and the Attorney who signs below on the basis of the information supplied by the inventor and the information in his file, submit herewith patents, publications, or other information of which they are aware, which may be material to the examination of this application and in respect of which there may be a duty to disclose in accordance with 37 CFR § 1.56.

The attached material describes a pump and its position within a semiconductor processing tool that was sold more than one year prior to the filing date of the present application.


While the information submitted in this Supplemental Information Disclosure Statement may be material pursuant to 37 CFR § 1.56, it is not intended to constitute an admission that any patent, publication, or other information referred to therein is prior art for this invention unless specifically designated as such.

In accordance with 37 CFR § 1.97, this Supplemental Information Disclosure Statement is not to be construed as a representation that a search has been made or that no other possibly material information as defined under 37 CFR § 1.56(a) exists.

The patents and/or publications submitted herewith are set forth on the attached Form PTO-1449.

The Applicants do not feel that a fee is necessary at this time, but if the sum of \$180.00 is due under 37 CFR § 1.17(p) pursuant to § 1.97, the Commissioner is hereby authorized to charge this fee, and any other fee necessary to make this submission timely, to the Deposit Account No. 20-0782/AMAT/2981.P1/E CORE/CORE/MBE/WBP.


Respectfully submitted,



William B. Patterson
Registration No. 34,102
MOSER, PATTERSON & SHERIDAN, L.L.P.
3040 Post Oak Blvd., Suite 1500
Houston, TX 77056
Telephone: (713) 623-4844
Facsimile: (713) 623-4846
Attorney for Applicants

Edwards High Vacuum / Applied Materials Confidential

IPX100 Prototype Pump



IPX100 Prototype Pump Performance

- Vacuum Performance
 - Peak Speed 100 m³/hr
 - Ultimate 10⁻² torr
- Mass
 - Pump 53 kg (117 lbs)
 - Controller 40 kg (88 lbs)
- Noise and Vibration
 - Vibration < 0.1g
 - Noise @ 1m < 68 dB(A)
- Water Cooling
 - Flow rate < 3 l/min @ 35 °C max.
- Motor
 - Full load rating 4 kW (Motor Shaft Output)
 - No load power 2 kW (Ultimate running)




Figure A-3. Producer Mainframe Right Side View

PRELIMINARY

